

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

SR249
aSB249
.A3

ENTERED IN THE COMPUTER

COTTON VARIETIES PLANTED 1967-1971



8116 78 2011

UNITED STATES DEPARTMENT OF AGRICULTURE
Consumer and Marketing Service Cotton Division
Memphis, Tennessee

August 1971

CONTENTS

<u>Table No.</u>		<u>Page No.</u>
	Introduction	1
	Leading Varieties.	1
	Map of Smith-Doxey Cotton Classing Office Territories.	2
1.	Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1970.	3
2.	Varieties by states and United States, crop of 1971.	4
3.	Varieties by states	
	North Carolina, South Carolina, Georgia, Florida, Alabama.	5
	Mississippi, Tennessee, Missouri, Arkansas, Louisiana.	6
	Oklahoma, Texas, New Mexico, Arizona, California	7
	Varieties by classing office territories and by counties	
4.	Raleigh Classing Office.	8
5.	Columbia Classing Office	9
6.	Augusta Classing Office.	10
7.	Atlanta Classing Office.	11
8.	Birmingham Classing Office	12
9.	Montgomery Classing Office	13
10.	Greenwood Classing Office.	14
11.	Jackson Classing Office.	15
12.	Memphis Classing Office.	16-17
13.	Hayti Classing Office.	18
14.	Blytheville Classing Office.	18
15.	Little Rock Classing Office.	19
16.	Winnsboro Classing Office.	20
17.	Alexandria Classing Office	20
18.	Altus Classing Office.	21
19.	Dallas Classing Office	22
20.	Austin Classing Office	23
21.	Corpus Christi Classing Office	24
22.	Harlingen Classing Office.	24
23.	Abilene Classing Office.	25
24.	Lubbock Classing Office.	26
25.	El Paso Classing Office.	27
26.	Carlsbad Classing Office	28
27.	Phoenix Classing Office.	29
28.	Fresno Classing Office	29
29.	Bakersfield Classing Office.	30
30.	El Centro Classing Office.	30
31.	Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, 1967-1971.	31
32.	Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing office territories, crop of 1971.	32

Cotton Varieties Planted, United States
1967-1971

Estimates of the percentages of the various varieties of cotton planted in the United States in 1971, by counties, Smith-Doxey cotton classing office territories and states are presented in this report. Comparative variety data for the four years 1967-1970 are shown by states. The variety data presented herein are based primarily on estimates furnished by cotton ginners for the territories served by their gins. Supplemental information is obtained from others closely related with cotton farming in their respective areas, such as seed breeders, seed dealers, farmers and county agents. These estimates should serve as reliable guides as to the geographic distribution of various varieties grown throughout the Cotton Belt.

Four general varieties account for over two-thirds of the cotton acreage planted in the United States this season. These varieties, in order of their relative importance, are Deltapine, Stoneville, Acala and Lankart. This is the ninth successive year in which these four have been the most popular varieties planted. A percentage distribution of the six leading varieties planted in 1971, with comparisons for the four preceding years, is shown at the foot of this page. All strains of each particular variety are combined for the purpose of this comparison.

Deltapine continues as the leading variety of cotton planted in the United States for the third consecutive year. Twenty-six percent of the total 1971 acreage was planted to Deltapine, compared with 28 percent a year earlier. Deltapine 16, the most popular Deltapine strain, accounts for 25 percent of all cotton planted this season. Deltapine is the principal variety grown in Alabama, Arizona, Louisiana, Mississippi and Tennessee.

Stoneville is the second leading variety planted this year. Estimates indicate that this variety accounts for 21 percent of the total acreage, the same as a year earlier. Stoneville is the most popular variety in Arkansas and Missouri. The strain Stoneville 213 comprises 18 percent of the total acreage planted against 16 percent a year ago.

Acala maintains its position as the third leading variety with 13 percent of the total 1971 acreage compared with 15 percent last year. Acala continues to be the major variety planted in California and New Mexico. Acala SJ-1 is the most popular Acala strain in California while the 1517 strains are the top choice of farmers in New Mexico.

Lankart remains the fourth leading variety of cotton for the fifth consecutive year. The acreage planted to Lankart this year is estimated at ten percent of the total compared with nine percent a year ago. Lankart is the principal variety grown in Oklahoma and Texas. Lankart 57, the predominating Lankart strain, accounts for seven percent of this season's total United States cotton acreage.

Coker continues to hold its place as the fifth leading variety. Estimates indicate that this variety comprises eight percent of this season's total acreage against seven percent last season. Coker remains the farmers' favorite variety in Georgia, North Carolina and South Carolina.

Paymaster, the sixth leading variety, accounts for five percent of total acreage planted compared with six percent in each of the two preceding seasons. Paymaster continues to be the second leading variety planted in Texas.

Pima S-4 remains the leading strain of American Pima cotton and represents 75 percent of this year's total extra long staple acreage. This compares with 80 percent a year earlier and 58 percent two years ago. Pima S-4 is now the most popular strain in each of the three major American Pima producing states - Arizona, New Mexico and Texas.

Estimated percentage of cotton acreage planted to specified varieties, United States, 1967-1971

Year	Acala	Coker	Delta- pine	Lankart	Pay- master	Stone- ville	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	17	5	17	14	5	20	22	100
1968	21	8	19	9	7	21	15	100
1969	17	6	26	11	6	17	17	100
1970	15	7	28	9	6	21	14	100
1971	13	8	26	10	5	21	17	100

UNITED STATES




Table 1. Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1970 ^{1/}

Variety	Sampling offices	Lots tested	Staple length	Micro- naire ^{2/}	Fiber strength ^{3/}		Fiber length ^{4/}	
					Zero gage	1/8"-gage	2.5% span	50/2.5 uniformity
	No.	No.	32d in.	Rdg.	Mpsi	G/tex	In.	Pct.
Rilcot 90	1	3	29	4.1	89	21.7	0.89	46
Gregg 35	1	3	30	3.5	87	22.3	0.91	47
Lankart 57	9	28	30	4.6	84	20.4	0.92	45
Lankart 611	1	4	30	4.6	85	20.9	0.92	45
Paymaster 202	2	6	30	4.0	93	22.4	0.91	46
Western Stormproof	1	4	30	4.7	85	19.8	0.92	46
Paymaster 101A	1	3	31	3.5	83	21.5	0.94	45
Lankart LX 571	1	3	32	4.7	90	22.4	1.01	46
Lockett BXL	1	3	32	4.7	95	23.5	0.99	46
Paymaster 111	3	9	32	3.8	87	22.4	0.99	46
Paymaster 909	1	3	32	4.2	87	22.3	0.97	47
Sweatt 75M	1	3	32	3.9	88	21.3	1.02	45
Lockett 4789A	2	6	33	3.9	91	23.5	1.04	46
McNair 1032B	2	8	33	4.5	83	22.6	1.03	46
Paymaster 111A	1	3	33	3.4	86	22.5	1.05	46
Auburn M	1	3	34	4.0	77	20.0	1.06	46
Brycot #4	1	3	34	4.7	86	21.1	1.08	45
Coker 100A	1	3	34	4.5	81	22.5	1.05	45
Coker 201	7	24	34	4.5	83	22.7	1.07	45
Coker 413	2	7	34	4.4	86	22.6	1.07	44
Deltapine 16	33	111	34	4.3	82	23.0	1.10	44
Deltapine 45A	3	9	34	4.3	81	22.5	1.07	45
Dixie King II	4	14	34	4.5	83	21.8	1.05	45
Dunn 56C	1	3	34	4.0	92	25.2	1.06	46
Empire	3	10	34	4.0	81	21.2	1.05	44
Rex Smooth Leaf	1	4	34	4.4	80	21.1	1.05	45
Rex SL-66	1	3	34	4.2	81	20.5	1.08	44
Stoneville 7A	7	21	34	4.5	87	22.3	1.09	46
Stoneville 213	23	77	34	4.6	82	22.1	1.07	45
TPSA 110	1	3	34	4.4	89	22.4	1.10	45
Watson GL 16	1	3	34	3.8	88	22.1	1.05	46
Acala 4-42	3	9	35	4.2	98	26.4	1.08	47
Brycot #1	1	3	35	3.9	87	23.3	1.12	45
Coker 310	6	20	35	4.6	83	23.4	1.15	44
Coker 417	3	11	35	4.3	84	23.5	1.13	45
Coker 4104	2	7	35	4.2	84	22.8	1.10	44
TH 149	1	3	35	4.6	89	25.7	1.09	49
Acala SJ-1	10	30	36	4.1	99	26.0	1.11	46
Hopicala	1	3	36	3.8	94	25.1	1.11	45
Acala 1517C	3	9	37	3.6	91	26.5	1.16	44
Acala 1517D	1	2	37	4.0	90	26.8	1.20	47
Acala 1517-70	1	3	37	3.8	96	27.0	1.15	44
Acala 1517V	2	6	38	3.6	92	27.0	1.20	45

^{1/} Compiled from "Summary of Cotton Fiber and Spinning Test Results, Crop of 1970", USDA, C&MS, Cotton Division, March 1971.

^{2/} Micronaire reading is a measure of fiber fineness and maturity. This test measures resistance of a plug of cotton to air flow.

^{3/} Fiber strength indicates ability of cotton fibers to withstand force or tension, and has a strong bearing on spinning utility. Zero gage fiber strength test made without a spacer between clamp jaws using Pressley flat bundle tester. 1/8" gage strength test made with 1/8" spacer between clamp jaws using Stelometer and results are adjusted to the Pressley level.

^{4/} Digital Fibrograph 2.5% span length indicates length spanned by 2.5 percent of the fibers when they are parallel and randomly distributed. This measure is closely related to staple length designations. Digital Fibrograph 50/2.5 uniformity ratio values indicate relative uniformity of fiber length in samples.

Table 2. Estimated percentage of cotton planted to specified varieties, by states and United States, crop of 1971

Variety	N.C.	S.C.	Ga.	Fla.	Ala.	Miss.	Tenn.	Mo.	Ark.	La.	Okla.	Tex.	N.M.	Ariz.	Cal.	All/Other	U.S.
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
- Acala 4-42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	1
- Acala 1517BR-2	-	-	-	-	-	-	-	-	-	-	-	*	4	-	-	-	*
- Acala 1517C	-	-	-	-	-	-	-	-	-	-	-	1	7	1	-	-	*
- Acala 1517D	-	-	-	-	-	-	-	-	-	-	-	*	4	1	-	-	*
- Acala 1517V	-	-	-	-	-	-	-	-	-	-	-	*	30	*	-	*	*
- Acala 1517-70	-	-	-	-	-	-	-	-	-	-	-	*	22	2	-	2	*
- Acala Stroman 104	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	*
- Acala Stroman 254	-	-	-	-	-	-	-	-	-	-	-	*	4	*	-	-	*
- Acala SJ-1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	83	38	10
- Acala 3080	-	-	-	-	-	-	-	-	-	-	-	*	2	-	-	-	*
- Auburn M	-	-	1	-	*	*	3	5	*	*	-	*	-	-	-	-	*
- Blightmaster A-5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
- Brycot	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	*
- Brycot #4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	*
- Carolina Queen	-	*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	*
- Coker 100A	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	*
- Coker 201	50	66	46	12	8	*	-	-	*	-	-	-	-	-	-	34	4
- Coker 310	25	25	22	23	6	*	*	-	*	1	-	*	1	*	-	5	2
- Coker 413	-	1	*	-	-	*	-	-	-	-	-	-	-	-	-	-	*
- Coker 417	1	6	9	-	7	-	-	-	-	-	-	-	-	-	-	-	1
- Coker 4104	-	-	-	-	-	-	-	-	-	-	-	2	2	*	-	-	1
- Del Cerro	-	-	-	-	-	-	-	-	-	-	-	*	*	1	-	-	*
- Delcot	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	*
- Deltapine	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
- Deltapine 16	-	-	6	51	26	57	40	26	41	52	2	3	1	80	5	10	25
- Deltapine 45	-	-	*	-	-	-	-	-	-	-	1	*	-	*	-	-	*
- Deltapine 45A	-	-	*	-	1	1	*	3	2	8	-	-	-	-	-	-	1
- Deltapine Smooth Leaf	-	-	-	-	*	-	-	-	-	-	-	*	1	6	1	-	*
- Dixie King II	-	-	4	6	20	*	20	-	*	-	-	-	-	-	-	-	2
- Dunn 56C	-	-	-	-	-	-	-	-	-	-	-	2	*	-	-	-	1
- Empire	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	*
- Gregg 35	-	-	-	-	-	-	-	-	-	-	*	3	1	-	-	-	1
- Hancock	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	*
- Hopicala	-	-	-	-	-	-	-	-	-	-	-	*	3	*	-	-	*
- Lankart 57	-	-	-	-	-	-	-	-	-	-	70	20	1	-	-	-	7
- Lankart LX 571	-	-	-	-	-	-	-	-	-	-	3	4	-	-	-	-	1
- Lankart 611	-	-	-	-	-	-	-	-	-	-	9	4	-	-	-	-	1
- Lankart 3840	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	*
- Lockett 4789	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	1
- Lockett 4789A	-	-	-	-	-	-	-	-	-	-	2	4	*	-	-	-	1
- McNair 210	2	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
- McNair 511	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
- McNair 1032	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
- McNair 1032B	-	-	4	8	3	-	-	-	-	-	-	-	-	-	-	-	*
- Northern Star R-4	-	-	-	-	-	-	-	-	-	-	-	1	*	-	-	-	*
- Northern Star 5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
- Parrott	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	*
- Paymaster 18	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
- Paymaster 101A	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1
- Paymaster 111	-	-	-	-	-	-	-	-	-	-	*	9	2	-	-	-	3
- Paymaster 202	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	1
- Paymaster 909	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	*
- Rex	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	*
- Rex Smooth Leaf	-	-	-	-	5	*	3	-	*	-	-	*	*	-	-	3	*
- Rex Smooth Leaf 66	-	-	-	-	-	-	-	3	3	-	-	*	-	-	-	-	*
- Rilecot 90	-	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	1
- Stoneville 7A	-	-	-	-	-	*	-	4	8	1	*	5	*	1	-	-	3
- Stoneville 213	-	-	1	-	19	40	28	56	43	38	1	5	4	8	1	7	18
- Stripper 31	-	-	-	-	-	-	-	-	-	-	-	8	1	-	-	-	3
- Thunder IV	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
- TH 149	3	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-	*
- TPSA 110	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
- Westburn	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	*
- Western Stormproof	-	-	-	-	-	-	-	-	-	-	-	4	*	-	-	-	1
- All Other	-	*	3	-	3	2	2	*	2	-	3	5	1	*	-	*	8
Total	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

* Less than 0.5 percent.

1/ All other includes Virginia, Kentucky and Nevada.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1967-1971

North Carolina

Season beginning August 1	Ginnings	Atlas	Carolina Queen	Coker 100A	Coker 201	Coker 310	Coker 413	Coker 417	McNair 210	McNair 511	McNair 1032	Rex	TH 149	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	47,780	-	31	5	17	-	24	-	-	-	19	1	-	3	100
1968	130,347	-	4	4	40	-	25	-	-	-	26	-	-	1	100
1969	105,919	1	3	2	51	-	11	*	-	-	20	4	8	*	100
1970	161,690	1	1	*	57	3	1	9	-	-	10	4	13	1	100
1971	-	-	-	2	50	25	-	1	2	3	11	3	3	-	100

South Carolina

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Coker 417	Coker 4104	Delta-pine	Dixie King	McNair 1032	McNair 1032 B	TH 149	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	184,207	44	7	9	-	38	-	-	-	*	2	-	-	*	100
1968	263,962	7	1	36	-	55	-	-	-	*	1	-	-	*	100
1969	210,563	3	*	73	-	19	1	*	*	*	1	-	1	2	100
1970	215,817	1	1	72	3	4	14	1	1	1	-	2	*	*	100
1971	-	*	*	66	25	1	6	-	1	*	1	-	*	*	100

Georgia

Season beginning August 1	Ginnings	Auburn M	Carolina Queen	Coker 100A	Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine 16	Dixie King II	Empire	McNair 1032B	Stoneville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	229,249	-	56	11	*	-	20	-	-	-	2	-	-	11	100
1968	268,411	-	8	-	6	-	63	-	-	-	*	-	-	23	100
1969	277,531	*	10	2	47	-	20	-	1	4	2	7	1	6	100
1970	285,570	2	4	3	48	1	4	19	3	4	2	8	1	1	100
1971	-	1	1	2	46	22	*	9	6	4	1	4	1	3	100

Florida

Season beginning August 1	Ginnings	Auburn M	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Delta-pine 16	Delta-pine 45A	Dixie King II	McNair 1032	McNair 1032B	Wannamaker All-in-one	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	7,178	-	49	16	-	-	10	-	-	-	9	-	7	9	100
1968	10,267	-	4	4	26	-	46	-	-	-	15	-	5	*	100
1969	9,124	4	7	11	12	-	21	6	-	1	-	23	13	2	100
1970	7,673	1	4	9	14	-	11	39	13	3	-	4	-	2	100
1971	-	-	-	-	12	23	-	51	-	6	-	8	-	-	100

Alabama

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine 16	Dixie King II	Empire	McNair 1032B	Rex Smooth Leaf	Stoneville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	201,928	28	9	*	-	10	-	-	23	6	-	7	6	11	100
1968	402,065	10	3	4	-	56	-	*	8	*	-	1	4	14	100
1969	466,030	3	3	10	-	11	-	19	21	5	7	5	12	4	100
1970	515,244	1	2	10	1	2	4	25	19	3	5	3	20	5	100
1971	-	-	-	8	6	-	7	26	20	1	3	5	19	5	100

* Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1967-1971 (Continued)

Mississippi

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Delta-pine 15A	Delta-pine 16	Delta-pine 45A	Delta-pine Sm. Lf.	Dixie King II	Stone-ville 7A	Stone-ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	1,062,014	2	1	-	-	2	2	-	3	36	1	4	48	1	100
1968	1,519,067	1	*	1	-	4	2	12	2	29	*	3	44	2	100
1969	1,314,668	*	*	1	*	1	-	56	2	3	*	1	35	1	100
1970	1,617,703	-	*	1	1	*	-	51	2	1	1	5	38	*	100
1971	-	-	-	*	*	*	-	57	1	-	*	*	40	2	100

Tennessee

Season beginning August 1	Ginnings	Auburn M	Coker 413	Delta-pine 16	Delta-pine 45	Delta-pine Sm. Lf.	Dixie King II	Empire	Hancock	McNair	Rex Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	146,130	4	4	-	2	22	35	9	-	*	6	*	16	2	100
1968	322,600	7	8	3	4	25	18	1	*	2	2	*	27	3	100
1969	417,274	8	1	32	1	6	26	2	2	*	4	1	16	1	100
1970	385,882	5	*	41	1	1	21	4	3	-	3	*	20	1	100
1971	-	3	-	40	*	-	20	1	3	-	3	-	28	2	100

Missouri

Season beginning August 1	Ginnings	Auburn M	Brycot	Coker 100A	Delcot	Delta-pine 16	Delta-pine 45A	Delta-pine Sm. Lf.	Mo-Del	Rex Smooth Lf. 66	Rex Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	60,088	8	-	*	-	-	8	3	-	-	7	18	43	13	100
1968	197,045	15	-	2	-	1	11	*	-	-	4	9	54	4	100
1969	326,044	8	-	-	-	22	3	1	2	-	7	7	48	2	100
1970	222,691	8	*	-	1	23	3	-	-	-	4	5	53	3	100
1971	-	5	1	-	2	26	3	-	*	3	-	4	56	*	100

Arkansas

Season beginning August 1	Ginnings	Brycot #4	Coker 413	Delfos 9169	Delta-pine 16	Delta-pine 45	Delta-pine 45A	Delta-pine Sm. Lf.	Dixie King II	Rex Smooth Leaf	Rex Smooth Leaf 66	Stone-ville 7A	Stone-ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	503,251	-	4	4	-	7	2	18	*	5	-	18	38	4	100
1968	1,032,525	-	3	2	5	1	8	14	-	4	-	11	49	3	100
1969	1,140,945	-	*	1	33	-	6	*	1	3	*	12	40	4	100
1970	1,044,609	*	-	-	44	-	3	*	1	2	3	10	36	*	100
1971	-	1	-	*	41	-	2	-	*	*	3	8	43	2	100

Louisiana

Season beginning August 1	Ginnings	Coker 310	Coker 413	Delta-pine 15A	Delta-pine 16	Delta-pine 45	Delta-pine 45A	Delta-pine Sm. Lf.	Stone-ville 7A	Stone-ville 213	Stone-ville 508	---	---	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	429,983	-	2	1	-	5	6	49	5	32	-	-	-	*	100
1968	544,746	-	3	1	8	-	10	36	4	36	1	-	-	1	100
1969	481,598	-	-	-	49	-	10	4	2	34	-	-	-	1	100
1970	521,183	-	*	-	53	-	13	1	2	31	-	-	-	*	100
1971	-	1	-	-	52	-	8	-	1	38	-	-	-	*	100

* Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1967-1971 (Continued)

Oklahoma

Season beginning August 1	Ginnings	Delta-pine 16	Delta-pine Sm. Lf.	Lank-art 57	Lank-art LX 571	Lank-art 611	Lank-art 3840	Lock-ett 4789	Lock-ett 4789A	Parrott	Pay-master 202	Stone-ville 213	West-burn	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	189,596	-	8	67	-	1	*	5	-	2	4	1	1	11	100
1968	259,899	*	6	43	-	4	2	12	-	1	3	2	4	23	100
1969	271,006	6	1	56	-	2	13	5	*	2	4	1	3	7	100
1970	187,017	5	1	67	-	5	7	*	3	1	3	1	3	4	100
1971	-	2	-	70	3	9	1	2	2	1	2	1	2	5	100

Texas

Season beginning August 1	Ginnings	Acala	Coker	Delta-pine	Dunn	Gregg	Lank-art	Lock-ett	Pay-master	Rilcot	Stone-ville	Strip-per 31	Western Storm-proof	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	2,694,646	6	*	3	*	3	38	3	15	2	14	1	6	9	100
1968	3,446,138	13	1	3	3	1	20	7	20	2	17	1	2	10	100
1969	2,774,222	7	2	3	7	2	28	7	18	2	10	2	4	8	100
1970	3,123,556	4	3	4	2	2	25	6	19	3	15	4	3	10	100
1971	-	2	2	3	2	3	29	6	17	4	10	8	4	10	100

New Mexico

Season beginning August 1	Ginnings	Acala 1517-BR2	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517-70	Acala Stroman 254	Acala 3080	Hopi-cala	Pay-master 111	Pay-master 909	Rilcot 90	Stone-ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	138,420	12	34	18	22	-	-	-	1	1	-	1	-	11	100
1968	158,372	14	14	22	34	-	-	*	5	1	*	2	1	7	100
1969	140,522	9	15	12	43	-	-	2	6	3	1	1	*	8	100
1970	122,318	7	18	14	36	3	2	3	3	2	2	1	2	7	100
1971	-	4	7	4	30	22	4	2	3	2	2	3	4	13	100

Arizona

Season beginning August 1	Ginnings	Acala 4-42	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517-70	Acala SJ-1	Del Cerro	Delta-pine 16	Delta-pine Sm. Lf.	Hopi-cala	Stone-ville 7A	Stone-ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	415,360	7	3	3	1	-	1	1	-	65	8	-	4	7	100
1968	680,880	1	2	4	1	-	1	1	70	7	7	-	2	4	100
1969	589,125	-	1	3	*	-	1	2	87	2	2	1	1	-	100
1970	461,954	-	2	3	*	*	-	1	89	1	1	*	3	-	100
1971	-	-	1	1	*	2	-	1	80	6	*	1	8	*	100

California

Season beginning August 1	Ginnings	Acala 4-42	Acala SJ-1	Del Cerro	Delta-pine 16	Delta-pine Sm. Lf.	Impe-rial Acala	Stone-ville 213	Stone-ville 508	---	---	---	---	---	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1967	1,056,153	3	87	*	1	5	4	*	-	-	-	-	-	-	100
1968	1,593,595	4	87	-	7	1	*	*	1	-	-	-	-	-	100
1969	1,334,246	3	86	-	10	1	*	*	*	-	-	-	-	-	100
1970	1,175,991	12	79	-	9	*	*	*	*	-	-	-	-	-	100
1971	-	10	83	-	5	1	-	1	-	-	-	-	-	-	100

* Less than 0.5 percent.

Table 4. Raleigh Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Coker 100A	Coker 201	Coker 310	Coker 417	McNair 210	McNair 511	McNair 1032	Rex	TH 149	----	----	Pct.	Pct.	Pct.	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>North Carolina:</u>																	
Anson	4	4,258	-	66	13	-	4	-	17	-	-	-	-	-	-	-	100
Cleveland	10	15,491	-	66	32	-	2	-	-	-	-	-	-	-	-	-	100
Edgecombe	4	4,126	-	37	49	-	3	-	10	-	1	-	-	-	-	-	100
Franklin	3	847	4	26	28	-	-	-	42	-	-	-	-	-	-	-	100
Halifax	11	23,743	-	52	28	-	6	-	11	3	-	-	-	-	-	-	100
Harnett	5	3,913	-	47	46	7	-	-	-	-	-	-	-	-	-	-	100
Iredell	4	459	-	93	7	-	-	-	-	-	-	-	-	-	-	-	100
Nash	7	6,660	-	28	59	-	2	-	8	3	-	-	-	-	-	-	100
Northampton	10	17,884	-	43	20	-	4	-	5	18	10	-	-	-	-	-	100
Robeson	12	20,964	-	65	16	-	-	-	19	-	-	-	-	-	-	-	100
Rowan	3	1,864	-	83	17	-	-	-	-	-	-	-	-	-	-	-	100
Rutherford	3	1,498	-	91	9	-	-	-	-	-	-	-	-	-	-	-	100
Sampson	5	8,367	-	26	63	7	-	-	4	-	-	-	-	-	-	-	100
Scotland	7	24,921	11	42	5	-	-	19	23	-	-	-	-	-	-	-	100
Union	4	2,733	-	39	45	-	-	-	-	-	16	-	-	-	-	-	100
Wilson	4	1,458	-	23	69	-	-	-	8	-	-	-	-	-	-	-	100
All other	19	22,504	-	54	25	-	1	-	11	1	8	-	-	-	-	-	100
Classing Office Total	115	161,690	2	50	25	1	2	3	11	3	3	-	-	-	-	-	100

Table 5. Columbia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine	Dixie King	Hybee	McNair 1032	TH 149	---	Pct.	Total
South Carolina:																
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Abbeville	3	6,674	-	-	69	29	-	2	-	-	-	-	-	-	-	100
Aiken	6	7,561	-	-	76	22	-	-	-	-	-	2	-	-	-	100
Anderson	10	4,861	-	-	40	60	-	-	-	-	-	-	-	-	-	100
Bamberg	4	4,874	-	-	74	11	-	15	-	-	-	-	-	-	-	100
Barnwell	4	3,240	-	4	58	33	-	-	-	3	-	2	-	-	-	100
Calhoun	6	8,160	-	-	70	10	-	6	4	-	-	6	4	-	-	100
Cherokee	3	3,981	2	-	92	2	-	-	-	2	-	2	-	-	-	100
Chester	3	3,558	-	-	99	1	-	-	-	-	-	-	-	-	-	100
Chesterfield	3	4,578	-	-	81	19	-	-	-	-	-	-	-	-	-	100
Clarendon	8	14,658	-	-	51	43	-	2	-	-	-	4	-	-	-	100
Darlington	6	7,959	-	-	32	68	-	-	-	-	-	-	-	-	-	100
Dillon	5	11,455	-	-	15	13	9	63	-	-	-	-	-	-	-	100
Edgefield	4	5,686	8	-	86	-	-	-	-	-	-	6	-	-	-	100
Florence	7	8,916	-	-	90	9	-	-	1	-	-	-	-	-	-	100
Hampton	4	3,305	-	-	51	45	-	-	-	-	4	-	-	-	-	100
Laurens	5	3,418	-	-	96	3	-	-	-	1	-	-	-	-	-	100
Lee	12	21,730	-	-	75	25	-	-	-	-	-	-	-	-	-	100
Lexington	3	2,680	-	-	68	32	-	-	-	-	-	-	-	-	-	100
Marion	3	1,790	-	-	77	23	-	-	-	-	-	-	-	-	-	100
Marlboro	11	23,780	-	-	64	32	3	-	1	-	-	-	-	-	-	100
Orangeburg	18	16,342	-	2	83	9	-	6	-	-	-	-	-	-	-	100
Spartanburg	5	3,525	2	-	67	14	-	-	-	17	-	-	-	-	-	100
Sumter	14	20,348	-	-	70	21	-	3	2	-	-	2	2	-	-	100
Williamsburg	3	1,707	-	-	82	18	-	-	-	-	-	-	-	-	-	100
York	4	5,992	-	-	56	2	-	32	10	-	-	-	-	-	-	100
All other	20	15,039	-	-	52	48	-	-	-	-	-	-	-	-	-	100
Classing Office Total	174	215,817	*	*	66	25	1	6	1	*	*	1	*	-	-	100

* Less than 0.5 percent.

Table 6. Augusta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Atlas	Auburn 56	Caro- lina Queen	Coker 100A	Coker 201	Coker 310	Coker 417	Delta- pine 45	Dixie King II	McNair 1032B	TH 149	---	---	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
Georgia:																
Bulloch	4	1,745	-	-	-	-	80	12	-	-	-	8	-	-	-	100
Burke	12	14,203	1	-	-	-	60	25	1	3	-	10	-	-	-	100
Emanuel	3	4,153	-	-	-	-	70	27	-	-	1	2	-	-	-	100
Jefferson	9	11,388	-	-	-	2	93	3	-	1	1	-	-	-	-	100
Johnson	4	5,544	-	-	-	-	70	15	-	-	-	15	-	-	-	100
Laurens	6	9,841	-	5	-	-	55	9	6	-	-	25	-	-	-	100
Morgan 1/	4	9,323	-	-	-	-	16	35	-	-	49	-	-	-	-	100
Screven	5	5,143	-	1	-	-	60	37	-	-	1	1	-	-	-	100
Washington	4	6,839	-	-	6	-	64	29	-	-	-	1	-	-	-	100
All other	20	15,547	-	-	3	14	63	14	2	1	1	1	1	-	-	100
Classing Office Total	71	83,726	*	1	1	3	62	19	1	1	6	6	*	-	-	100

1/ Includes the portion of the county served by Atlanta Classing Office.

* Less than 0.5 percent.

Table 7. Atlanta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Auburn M	Carolina Queen	Coker 100A	Coker 201	Coker 310	Coker 417	Delta-pine 16	Delta-pine 45A	Dixie King II	Empire	McNair 1032B	Stoneville 213	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Georgia:																
Bartow	7	14,017	17	-	-	61	10	-	5	-	5	-	-	-	2	100
Bleckley	3	6,471	-	-	-	89	9	-	-	-	-	-	-	-	2	100
Calhoun	3	6,335	-	-	-	42	28	18	6	-	3	-	-	-	3	100
Colquitt	6	15,775	-	-	11	17	46	-	7	-	-	-	17	-	2	100
Crisp	4	10,195	-	-	-	67	17	-	4	4	-	-	3	-	5	100
Dodge	3	2,886	-	-	-	94	4	-	-	-	-	-	2	-	-	100
Dooley	11	31,554	-	-	-	14	18	55	6	3	-	-	-	-	4	100
Floyd	4	2,806	6	-	-	25	5	-	14	-	45	-	-	5	-	100
Gordon	3	3,557	6	-	-	36	14	-	-	-	4	40	-	-	-	100
Hart	3	3,956	-	-	-	24	35	41	-	-	-	-	-	-	-	100
Macon	4	6,362	-	-	-	70	5	-	15	-	-	-	4	-	6	100
Mitchell	3	2,975	-	-	-	14	85	1	-	-	-	-	-	-	-	100
Morgan 1/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oconee	3	5,098	-	-	-	62	31	-	-	-	2	-	-	-	5	100
Pulaski	3	10,506	-	-	-	34	11	7	48	-	-	-	-	-	-	100
Sumter	5	6,488	-	-	-	39	14	-	24	-	-	-	23	-	-	100
Taylor	6	7,504	-	-	-	32	40	-	-	-	-	-	-	-	28	100
Terrell	4	6,789	-	-	-	38	5	-	4	-	11	-	2	40	-	100
Walton	3	5,594	-	-	-	40	31	4	-	-	23	-	-	-	2	100
Worth	4	3,132	-	44	-	29	24	-	-	-	-	3	-	-	-	100
All other	37	49,844	-	1	4	45	27	6	9	-	2	1	3	-	2	100
Classing Office Total	119	201,844	1	1	2	40	23	12	9	1	3	1	3	1	3	100

1/ Data for Morgan County shown in Table 6, Augusta Classing Office.

Table 8. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Bales		Coker 201	Coker 310	Coker 417	Delta- pine 16	Delta- pine 45A	Delta- pine Sm. lf.	Dixie King II	Empire	Han- cock	Rex Smooth Leaf	Stone- ville	Stone- ville	Other	Total
			No.	Pct.											Pct.	Pct.		
Alabama:																		
Blount	3	7,675	-	15	70	10	-	-	-	-	-	-	-	-	-	-	5	100
Cherokee	12	30,862	1	-	-	44	-	-	-	-	31	3	-	-	16	4	1	100
Colbert	6	22,085	-	4	-	81	-	-	-	-	-	-	-	-	15	-	-	100
Cullman	10	12,472	-	16	5	-	-	-	-	-	76	-	-	-	-	-	3	100
DeKalb	15	21,656	10	1	-	-	-	-	-	-	85	1	-	-	2	-	1	100
Franklin	4	7,992	9	9	-	9	-	-	-	-	-	-	-	-	70	-	3	100
Jackson	7	10,040	-	4	-	4	-	-	-	-	78	14	-	-	-	-	-	100
Lamar	3	6,808	45	10	-	45	-	-	-	-	-	-	-	-	-	-	-	100
Lauderdale	9	18,731	-	-	7	29	11	-	7	-	8	5	-	23	10	-	-	100
Lawrence	13	33,159	-	-	-	42	-	-	-	-	4	-	10	14	28	-	2	100
Limestone	17	51,614	-	1	-	24	-	-	-	-	13	1	-	3	55	-	3	100
Madison	19	51,807	-	-	-	3	-	-	-	-	4	-	-	25	65	-	3	100
Marshall	9	17,350	2	9	-	-	-	-	-	-	85	-	-	-	-	-	4	100
Morgan	8	13,601	-	-	-	5	-	-	-	-	65	12	-	-	18	-	-	100
Pickens	3	5,946	20	-	-	40	-	-	-	-	40	-	-	-	-	-	-	100
Shelby	3	6,298	-	4	13	73	-	-	-	-	10	-	-	-	-	-	-	100
Tuscaloosa	4	7,592	-	9	-	86	-	-	-	-	-	-	-	-	-	-	5	100
All other	16	22,939	4	3	-	50	-	-	-	2	28	-	-	-	10	2	1	100
Classing Office Total	161	348,627	3	3	2	26	*	1	*	1	26	2	1	7	26	1	2	100

* Less than 0.5 percent.

Table 9. Montgomery Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Auburn 56	Auburn M	Coker 201	Coker 310	Coker 417	Delta-pine 16	Delta-pine 45A	Dixie King II	McNair 210	McNair 1032B	Rex Smooth Leaf	Stone-ville 213	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Alabama:</u>																
Autauga	4	13,531	-	-	-	-	94	3	-	1	-	-	-	-	2	100
Barbour	3	1,884	-	13	7	14	5	50	6	-	-	-	-	-	5	100
Conecuh	4	3,765	-	-	27	46	-	20	-	5	-	2	-	-	-	100
Covington	3	2,887	-	-	28	-	-	-	-	3	-	67	-	-	2	100
Dallas	9	19,477	1	-	22	23	33	6	-	1	-	14	-	-	-	100
Elmore	6	16,005	-	-	10	6	52	25	-	2	3	-	-	2	-	100
Escambia	3	8,768	-	-	11	18	-	65	-	-	-	6	-	-	-	100
Geneva	4	3,492	-	-	13	33	-	-	-	34	-	18	-	-	2	100
Greene	3	6,403	-	-	10	1	1	64	-	11	-	5	-	8	-	100
Hale	5	8,293	-	-	35	12	2	17	-	24	2	3	-	5	-	100
Houston	6	3,691	-	-	50	14	-	-	-	13	-	17	3	-	3	100
Lowndes	3	6,106	-	-	75	5	-	3	-	-	-	-	-	14	3	100
Macon	4	10,570	-	-	1	1	1	59	-	10	-	12	-	16	-	100
Marengo	3	7,784	-	-	8	5	-	29	5	20	-	5	-	25	3	100
Monroe	3	6,579	-	-	42	9	-	34	-	1	-	14	-	-	-	100
Montgomery	3	3,873	-	-	7	12	4	18	-	-	-	51	-	6	2	100
Perry	3	4,211	-	-	12	8	-	51	-	29	-	-	-	-	-	100
Russell	3	7,783	10	-	22	4	12	28	8	11	-	3	-	-	2	100
Sumter	4	3,750	-	-	6	3	-	23	-	42	-	-	-	26	-	100
Wilcox	4	5,270	-	-	75	-	-	-	-	11	-	14	-	-	-	100
All other	17	22,495	3	-	14	24	-	23	2	14	-	15	3	1	1	100
Total	97	166,617	1	*	19	12	17	24	1	9	*	9	*	4	4	100
<u>Florida:</u>																
Total	4	7,673	-	-	12	23	-	51	-	6	-	8	-	-	-	100
Classing Office Total	101	174,290	1	*	19	13	17	26	1	9	*	9	*	4	1	100

* Less than 0.5 percent.

Table 10. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Coker 310	Delta-pine 15	Delta-pine 16	Delta-pine 45A	Stone-ville 7A	Stone-ville 213	---	---	---	---	---	---	---	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Mississippi:</u>																	
Bolivar	42	159,019	2	-	84	1	-	13	-	-	-	-	-	-	-	-	100
Carroll	3	8,904	-	-	20	-	-	80	-	-	-	-	-	-	-	-	100
Coahoma	39	142,805	-	-	44	-	-	56	-	-	-	-	-	-	-	-	100
DeSoto 1/	4	16,434	-	-	90	-	-	10	-	-	-	-	-	-	-	-	100
Holmes	16	56,923	-	-	84	-	-	15	-	-	-	-	-	-	-	1	100
Humphreys	14	60,501	-	-	55	-	-	45	-	-	-	-	-	-	-	-	100
Issaquena	3	11,687	-	-	60	5	-	35	-	-	-	-	-	-	-	-	100
Leflore	27	105,855	-	-	47	-	-	53	-	-	-	-	-	-	-	-	100
Madison 2/	3	15,720	-	-	10	-	-	90	-	-	-	-	-	-	-	-	100
Panola 1/	8	34,201	-	-	19	-	-	81	-	-	-	-	-	-	-	-	100
Quitman	17	66,083	-	-	45	-	-	55	-	-	-	-	-	-	-	-	100
Sharkey	12	44,170	-	-	72	2	-	26	-	-	-	-	-	-	-	-	100
Sunflower	33	172,393	-	1	46	-	-	53	-	-	-	-	-	-	-	-	100
Tallahatchie	21	78,547	-	1	68	-	-	31	-	-	-	-	-	-	-	-	100
Tunica	16	45,263	-	2	45	4	-	49	-	-	-	-	-	-	-	-	100
Washington	37	146,321	-	-	60	2	-	37	-	-	-	-	-	-	-	1	100
Yazoo	12	65,167	-	-	76	-	2	20	-	-	-	-	-	-	-	2	100
All other	5	14,039	5	-	68	-	-	27	-	-	-	-	-	-	-	-	100
Classing Office Total	312	1,244,032	*	*	59	1	*	40	-	-	-	-	-	-	-	*	100

1/ A portion of this county is served by Memphis Classing Office.

2/ A portion of this county is served by Jackson Classing Office.

* Less than 0.5 percent.

Table 11. Jackson Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Coker 201	Coker 310	Delta- pine 16	Delta- pine 45A	Stone- ville 213	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Total
<u>Mississippi:</u>																
Attala	5	7,295	-	-	50	-	50	-	-	-	-	-	-	-	-	100
Copiah	3	4,619	-	-	59	-	41	-	-	-	-	-	-	-	-	100
Hinds	6	17,301	-	-	51	-	49	-	-	-	-	-	-	-	-	100
Lowndes	6	7,657	1	-	29	-	70	-	-	-	-	-	-	-	-	100
Madison <u>1/</u>	6	15,357	-	-	62	-	38	-	-	-	-	-	-	-	-	100
Montgomery <u>2/</u>	3	4,882	-	-	69	-	31	-	-	-	-	-	-	-	-	100
Noxubee	4	7,075	-	-	87	-	13	-	-	-	-	-	-	-	-	100
Scott	3	4,749	-	-	92	-	8	-	-	-	-	-	-	-	-	100
Webster	3	7,231	-	-	60	-	40	-	-	-	-	-	-	-	-	100
Winston	3	7,335	-	-	60	-	40	-	-	-	-	-	-	-	-	100
All other	33	48,738	11	*	56	2	31	-	-	-	-	-	-	-	-	100
Classing Office Total	75	132,239	4	*	58	1	37	-	-	-	-	-	-	-	-	100

1/ A portion of this county is served by Greenwood Classing Office

2/ A portion of this county is served by Greenwood Classing Office and is included in the data for "all other".

* Less than 0.5 percent.

Table 12. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Auburn M	Coker 201	Coker 310	Coker 413	Delta-pine 16	Delta-pine 45A	Dixie King II	Empire	Hancock	Rex Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Tennessee:</u>																
Carroll	10	11,442	1	-	-	-	29	-	43	6	12	-	-	8	1	100
Chester	5	9,067	3	-	-	-	47	-	28	-	-	13	-	6	3	100
Crockett	12	39,088	2	-	-	-	45	-	14	-	-	-	-	39	-	100
Dyer	14	19,380	2	-	-	-	15	-	4	-	-	5	-	73	1	100
Fayette	13	28,380	15	-	-	-	57	-	4	-	2	-	-	22	-	100
Gibson	20	39,810	-	-	4	-	51	1	13	3	-	1	-	27	-	100
Hardeman	10	19,052	1	-	-	-	56	-	11	-	3	1	-	26	2	100
Haywood	15	37,107	1	-	-	-	36	-	34	-	1	-	-	28	-	100
Henderson	6	8,154	2	-	-	-	10	-	52	-	-	4	-	30	2	100
Lake	9	13,027	-	-	-	-	66	-	-	-	-	1	-	33	-	100
Lauderdale	13	29,855	4	-	-	-	49	2	14	-	-	3	-	27	1	100
Lawrence	6	7,468	15	-	-	-	2	-	22	8	4	7	-	42	-	100
Lincoln	5	8,749	-	-	-	-	5	-	18	5	36	25	-	11	-	100
McNairy	9	13,426	-	-	-	-	37	-	38	-	5	4	-	13	3	100
Madison	12	27,740	3	-	-	-	52	-	13	-	1	-	-	30	1	100
Obion	5	3,976	-	-	-	-	41	-	13	-	1	-	-	42	3	100
Shelby	15	22,459	1	-	-	-	26	-	11	-	-	25	-	36	1	100
Tipton	16	36,686	1	-	-	-	32	-	48	-	8	1	-	8	2	100
All other	10	11,016	2	-	-	-	18	-	17	23	9	1	-	30	*	100
Total	205	385,882	3	-	*	-	40	*	20	1	3	3	-	28	2	100

Arkansas:

Total 1/	32	74,404	-	-	-	-	49	-	-	-	-	6	1	43	1	100
----------	----	--------	---	---	---	---	----	---	---	---	---	---	---	----	---	-----

Table 12. Memphis Classing Office: (Continued)

State and County	Gins	1970 Ginnings	Auburn M	Coker 201	Coker 310	Coker 413	Delta- pine 16	Delta- pine 45A	Dixie King II	Empire	Han- cock	Rex Smooth Leaf	Stone- ville 7A	Stone- ville 213	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Alcorn	4	8,717	-	-	-	-	35	-	23	-	-	5	-	37	-	100
Benton	3	8,566	-	-	-	-	45	-	-	-	-	-	-	54	1	100
Calhoun	6	16,421	-	-	-	-	17	-	-	-	-	-	-	82	1	100
Chickasaw	4	9,151	-	-	-	-	50	-	-	-	-	-	-	50	-	100
DeSoto 2/	5	10,299	-	-	-	-	70	-	-	-	-	-	-	28	2	100
Grenada 3/	3	7,684	-	-	-	-	65	-	-	-	-	-	-	35	-	100
Itawamba	3	5,826	-	-	-	-	25	-	-	-	-	-	-	75	-	100
Lee	6	14,939	-	2	-	-	63	-	3	-	-	-	-	32	-	100
Marshall	12	29,272	1	-	-	-	70	-	-	-	-	-	-	28	1	100
Monroe	8	21,809	-	-	1	-	61	-	-	-	-	-	-	38	-	100
Panola 2/	11	19,332	-	-	-	-	42	-	-	-	-	-	-	57	1	100
Pontotoc	6	14,813	-	-	1	-	58	-	-	-	-	-	-	41	-	100
Prentiss	6	11,153	-	2	8	-	52	-	16	-	-	-	-	22	-	100
Tate 3/	7	19,947	-	-	-	-	53	7	-	-	-	-	4	35	1	100
Tippah	6	15,710	-	2	-	-	43	-	7	-	-	9	-	39	-	100
Tishomingo	4	5,416	-	-	-	-	34	-	13	-	-	10	-	43	-	100
Union	3	6,304	-	-	-	-	40	-	-	-	-	-	-	60	-	100
All other	4	16,073	-	-	-	-	83	-	-	-	-	-	-	17	-	100
Total	101	241,432	•	•	•	•	54	1	2	-	-	1	•	41	1	100
Classing Office Total	338	701,718	2	•	•	•	45	•	12	1	2	3	•	34	1	100

1/ Includes Crittenden County and the portion of Cross County served by Memphis Classing Office.

2/ A portion of this county is served by Greenwood Classing Office.

3/ A portion of this county is served by Greenwood Classing Office and is included in the data for "all other".

• Less than 0.5 percent.

Table 13. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Auburn M	Brycot	Delcot	Delta-pine 16	Delta-pine 45A	Mo-Del Leaf 66	Rex Smooth ville 7A	Stone-ville 213	---	---	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Missouri:														
Butler	5	5,255	-	-	-	3	-	-	1	4	91	-	-	1 100
Dunklin	31	68,264	8	2	3	40	-	-	3	2	42	-	-	100
Mississippi	11	8,530	4	-	-	33	5	-	2	5	51	-	-	100
New Madrid	31	53,101	7	-	3	12	9	-	8	4	57	-	-	100
Pemiscot	26	64,458	1	2	-	31	1	-	-	7	57	-	-	1 100
Scott	6	8,525	3	-	1	5	2	-	2	-	87	-	-	100
Stoddard	7	12,904	5	-	5	9	9	-	-	1	71	-	-	100
All other	1	1,654	2	-	-	2	-	2	2	12	80	-	-	100
Classing Office Total	118	222,691	5	1	2	26	3	*	3	4	56	-	-	* 100

* Less than 0.5 percent.

Table 14. Blytheville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Brycot #1	Brycot #4	Delta-pine 16	Delta-pine 45A	Rex Smooth Leaf 66	Stone-ville 7A	Stone-ville 213	---	---	---	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Arkansas:														
Clay 1/	9	16,913	-	-	13	2	6	23	55	-	-	-	-	1 100
Craighead	24	64,664	1	-	30	1	5	19	44	-	-	-	-	100
Greene	9	21,697	1	-	22	1	5	26	44	-	-	-	-	1 100
Mississippi	52	151,697	1	4	27	-	6	24	38	-	-	-	-	100
Poinsett	21	82,789	-	-	37	-	-	21	39	-	-	-	-	3 100
Classing Office Total	115	337,760	1	2	29	*	4	22	41	-	-	-	-	1 100

1/ A portion of this county is served by Little Rock Classing Office.

* Less than 0.5 percent.

Table 15. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Auburn M	Coker 201	Coker 310	Delfos 9169	Delta-pine 16	Delta-pine 45A	Dixie King II	Rex Smooth lf. 66	Stone-ville 7A	Stone-ville 213	---	---	Pct.	Pct.	Pct.	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Arkansas	3	4,995	-	-	-	-	66	4	-	1	-	29	-	-	-	-	-	-	100
Ashley	5	36,967	-	-	-	-	25	3	-	-	2	70	-	-	-	-	-	-	100
Chicot	9	39,892	-	-	-	-	73	-	-	-	-	27	-	-	-	-	-	-	100
Clay 1/	6	9,609	-	-	3	-	18	-	-	20	7	49	-	-	-	-	3	-	100
Cross 2/	12	23,404	-	-	-	-	41	-	-	32	-	27	-	-	-	-	-	-	100
Desha	12	40,035	-	-	-	-	42	-	-	-	-	58	-	-	-	-	-	-	100
Drew	4	11,237	-	-	-	-	65	5	-	-	-	30	-	-	-	-	-	-	100
Jackson	12	24,295	6	6	-	-	22	2	12	15	-	37	-	-	-	-	-	-	100
Jefferson	27	74,190	-	-	-	-	80	10	-	-	-	10	-	-	-	-	-	-	100
Lafayette	4	11,490	-	-	-	-	90	-	-	-	-	10	-	-	-	-	-	-	100
Lawrence	8	13,324	-	-	-	-	30	-	-	9	32	27	-	-	-	-	2	-	100
Lee	18	41,474	-	-	-	-	39	-	-	3	1	55	-	-	-	-	2	-	100
Lincoln	9	25,186	-	-	-	-	36	-	-	-	-	64	-	-	-	-	-	-	100
Lonoke	13	57,800	-	-	-	1	36	1	-	-	6	56	-	-	-	-	-	-	100
Miller	4	4,542	-	-	-	-	78	-	-	-	-	22	-	-	-	-	-	-	100
Monroe	11	28,746	-	-	-	-	58	15	-	-	-	26	-	-	-	-	1	-	100
Phillips	37	78,091	-	-	-	-	39	5	-	-	-	56	-	-	-	-	-	-	100
Pulaski	6	5,253	-	-	-	-	33	-	-	2	-	65	-	-	-	-	-	-	100
Randolph	4	7,037	-	-	-	-	10	-	6	29	-	53	-	-	-	-	2	-	100
St. Francis	22	48,020	2	-	-	-	43	-	-	1	-	52	-	-	-	-	2	-	100
White	5	2,506	-	-	-	-	25	3	-	32	-	40	-	-	-	-	-	-	100
Woodruff	10	22,959	2	-	-	-	38	-	-	-	-	57	-	-	-	-	3	-	100
All other	11	21,393	-	-	1	-	34	1	-	2	2	60	-	-	-	-	-	-	100
Classing Office Total	252	632,445	1	*	*	*	45	3	1	3	2	44	-	-	-	-	1	-	100

1/ A portion of this county is served by Blytheville Classing Office.
2/ A portion of this county is served by Memphis Classing Office and is included in the data for "Arkansas".
* Less than 0.5 percent.

Table 16. Winnsboro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1971

State and Parish	Gins	1970 Ginnings	Coker 310	Delta-pine 16	Pct.	Delta-pine 45A	Pct.	Stone-ville 7A	Pct.	Stone-ville 213	Pct.	---	Pct.	---	Pct.	---	Pct.	---	Pct.	Total
<u>Louisiana:</u>	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>		<u>Pct.</u>		<u>Pct.</u>		<u>Pct.</u>										
Catahoula	4	17,606	-	24		-		2		74		-		-		-		-		100
Concordia	5	14,035	-	83		1		2		14		-		-		-		-		100
East Carroll	9	48,483	2	26		-		-		72		-		-		-		-		100
Franklin	15	59,087	-	43		4		-		53		-		-		-		-		100
Madison	4	17,690	-	48		2		-		50		-		-		-		-		100
Morehouse	6	54,733	2	40		7		-		51		-		-		-		-		100
Ouachita	4	20,850	4	69		18		-		9		-		-		-		-		100
Richland	14	60,627	-	55		2		-		43		-		-		-		-		100
Tensas	6	31,528	-	60		11		-		29		-		-		-		-		100
West Carroll	10	35,169	-	50		3		2		45		-		-		-		-		100
All other	2	11,229	-	30		30		-		40		-		-		-		-		100
Classing Office	79	371,037	1	46		5		*		48		-		-		-		-		100

* Less than 0.5 percent.

Table 17. Alexandria Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1971

State and Parish	Gins	1970 Ginnings	Auburn 56	Auburn M	Coker 310	Delta-pine 16	Pct.	Delta-pine 45A	Pct.	Stone-ville 7A	Pct.	Stone-ville 213	Pct.	---	Pct.	---	Pct.	---	Pct.	Total
<u>Louisiana:</u>	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>		<u>Pct.</u>		<u>Pct.</u>		<u>Pct.</u>								
Acadia	3	4,652	-	-	-	67		-		10		23		-		-		-		100
Avoyelles	9	14,494	-	-	-	57		14		1		28		-		-		-		100
Bossier	6	13,763	-	-	-	97		3		-		-		-		-		-		100
Caddo	12	33,109	-	-	-	97		3		-		-		-		-		-		100
Evangeline	4	1,796	-	-	-	59		30		-		11		-		-		-		100
Lafayette	4	3,909	-	-	-	39		-		-		61		-		-		-		100
Natchitoches	7	18,835	1	-	-	65		33		-		1		-		-		-		100
Rapides	10	27,732	-	-	1	29		34		9		27		-		-		-		100
St. Landry	14	19,194	-	-	-	62		8		5		25		-		-		-		100
All other	7	12,650	-	1	-	77		-		1		21		-		-		-		100
Classing Office Total	76	150,134	*	*	*	68		14		3		15		-		-		-		100

* Less than 0.5 percent.

Table 18. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Gregg 35	Lankart 57	Lankart 611	Lankart 3840	Lankart LX 571	Lockett 4789	Lockett 4789A	Northern Star 5	Pay-master 202	Stripper 31	West-burn	Western Storm-proof	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Oklahoma:																
Beckham	11	17,822	-	59	14	6	6	-	-	-	4	-	5	-	6	100
Blaine	3	1,912	-	18	4	4	-	-	-	-	4	-	-	-	70	100
Caddo	14	17,775	-	67	19	-	2	3	-	-	5	-	-	-	4	100
Canadian	3	2,049	-	62	13	-	8	-	9	-	-	-	-	-	8	100
Comanche	3	917	-	87	6	-	-	-	-	-	7	-	-	-	-	100
Custer	3	9,904	-	89	7	1	2	-	-	-	1	-	-	-	-	100
Grady	4	4,524	-	66	34	-	-	-	-	-	-	-	-	-	-	100
Greer	7	8,482	5	84	-	4	4	-	-	-	-	-	3	-	-	100
Harmon	6	10,695	3	44	-	1	18	4	6	-	-	-	-	-	24	100
Jackson	10	28,881	-	88	-	-	2	1	6	-	-	-	-	-	3	100
Kiowa	8	13,524	-	93	6	*	1	-	-	-	-	-	-	-	-	100
Tillman	12	19,424	-	83	4	2	2	9	-	-	-	-	-	-	-	100
Washita	10	22,940	-	68	12	-	2	-	-	-	-	-	14	-	4	100
All other	7	4,511	-	65	23	-	-	-	-	-	-	-	2	-	10	100
Total	101	163,360	*	74	9	1	3	2	2	-	1	-	3	-	5	100
Texas:																
Briscoe	7	13,681	3	11	4	-	7	-	-	-	17	38	-	-	20	100
Childress	4	14,605	-	22	2	-	10	-	13	22	7	-	-	18	6	100
Collingsworth	5	11,814	23	57	3	9	1	1	-	-	1	-	1	1	3	100
Cottle	6	12,950	-	67	13	-	10	-	10	-	-	-	-	-	-	100
Donley	3	4,755	15	7	-	-	9	-	-	-	7	-	-	-	62	100
Foard	3	2,815	-	53	-	-	3	-	44	-	-	-	-	-	-	100
Hall	12	27,804	2	41	6	-	1	6	3	-	-	-	-	24	17	100
Hardeman	5	7,964	-	81	11	2	1	2	2	-	-	-	-	-	1	100
Motley	4	7,111	-	24	30	-	-	2	-	12	3	-	-	12	17	100
Wheeler	7	3,697	29	6	31	9	-	-	-	-	17	-	-	-	8	100
Wilbarger	9	12,717	-	28	13	25	8	-	-	-	-	-	8	-	18	100
All other	3	7,074	-	73	-	-	11	-	-	13	-	-	-	-	3	100
Total	68	126,987	4	40	8	4	5	2	4	4	4	4	1	8	12	100
Classing																
Office Total	169	290,347	2	59	8	2	4	2	3	2	2	2	2	4	8	100

* Less than 0.5 percent.

Table 19. Dallas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Delta-pine 16	Delta-pine 45	Lank-art 57	Lank-art 611	Lank-art 3840	Lank-art LX 571	Lock-ett 4789	Lock-ett 4789A	North-ern Star 5	Pay-master 202	Stone-ville 213	TPSA 110	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Bowie	3	4,978	71	3	-	-	-	-	-	-	-	-	26	-	-	100
Collin	17	30,016	-	-	94	1	-	4	*	-	-	-	-	-	1	100
Delta	5	10,398	-	-	79	-	1	14	-	2	-	1	-	1	2	100
Ellis	23	40,694	-	-	85	-	*	14	1	-	-	-	-	-	-	100
Fannin	8	14,768	-	-	84	-	2	5	7	-	-	-	-	1	1	100
Grayson	6	6,846	-	-	97	-	-	-	2	-	-	-	-	-	1	100
Hill	18	37,987	-	-	93	-	-	6	1	-	-	-	-	-	-	100
Hunt	11	18,227	-	-	90	-	-	8	2	-	-	-	-	*	-	100
Johnson	5	8,099	-	-	92	-	1	7	-	-	-	-	-	-	-	100
Kaufman	6	11,710	-	-	94	-	-	5	-	-	-	-	-	-	1	100
Lamar	6	12,084	-	-	50	4	-	33	10	1	-	-	-	2	-	100
Navarro	10	19,979	-	-	91	-	2	7	-	-	-	-	-	-	-	100
Rockwall	5	6,495	-	-	70	9	-	19	1	-	-	-	-	1	-	100
Tarrant	3	3,000	-	-	83	11	-	6	-	-	-	-	-	-	-	100
All other	16	16,120	-	-	72	7	1	1	-	3	13	-	-	-	3	100
Total	142	241,401	2	*	84	1	*	9	2	*	1	*	1	*	*	100
Oklahoma:																
Bryan	3	2,900	-	-	54	-	-	5	25	-	-	8	-	-	8	100
Muskogee	4	4,301	10	44	27	4	-	-	-	5	-	-	-	-	10	100
All other	16	16,456	14	-	42	15	1	-	1	8	-	11	5	-	3	100
Total	23	23,657	12	9	42	11	1	1	4	6	-	9	3	-	2	100
Classing Office Total	165	265,058	2	1	80	2	1	8	2	1	1	1	1	*	*	100

* Less than 0.5 percent.

Table 20. Austin Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Anton 99	Delta-pine 16	Delta-pine Sm. lf.	Lank-art 57	Lank-art 611	Lank-art 3840	Lank-art LX 571	Lockett 4789	Stoneville 7A	Stoneville 213	TPSA 110	Western Storm-proof	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Austin	8	7,887	5	8	8	12	-	-	-	1	28	30	1	-	7	100
Bell	12	18,198	3	-	-	72	-	-	6	15	-	-	-	-	4	100
Brazoria	5	6,329	-	61	-	-	18	-	-	-	17	-	-	-	4	100
Brazos	5	18,112	-	29	-	-	-	-	-	-	3	60	6	-	2	100
Burleson	5	10,691	-	4	-	-	-	6	-	-	12	74	3	-	1	100
Caldwell	3	4,253	37	-	-	56	-	7	-	-	-	-	-	-	-	100
Colorado	3	5,942	9	5	4	9	-	-	-	-	37	33	-	-	3	100
Coryell	3	3,573	-	-	-	98	-	-	2	-	-	-	-	-	-	100
Falls	7	8,654	9	10	-	68	-	-	11	-	-	-	-	-	2	100
Fayette	4	2,777	22	-	-	59	-	-	-	7	-	-	7	-	5	100
Fort Bend	15	37,913	-	58	2	-	-	-	-	-	16	18	-	-	6	100
Guadalupe	4	3,737	-	-	-	67	11	11	-	-	-	-	-	-	11	100
Houston	3	5,488	-	4	-	-	-	-	-	-	68	-	-	-	28	100
Lavaca	3	1,306	15	-	-	67	-	-	-	-	-	-	-	-	48	100
McCulloch	3	3,781	-	-	-	16	14	-	-	-	-	-	-	65	5	100
McLennan	13	25,218	9	-	-	67	-	-	22	1	-	-	-	-	1	100
Milam	8	14,223	4	-	-	66	-	14	13	-	-	-	-	-	3	100
Robertson	5	22,337	-	-	-	-	-	-	-	-	-	66	29	-	5	100
Travis	3	5,315	10	-	-	65	-	-	20	-	-	-	-	-	5	100
Washington	3	1,708	6	17	-	34	-	-	-	-	3	35	-	-	5	100
Williamson	25	44,514	7	-	-	38	4	1	46	2	-	-	-	-	2	100
Zavala	3	6,570	-	14	80	-	-	-	-	-	4	2	-	-	-	100
All other	18	15,117	7	29	-	53	-	1	*	-	1	-	-	-	9	100
Classing Office Total	161	273,643	5	14	3	32	2	1	12	1	7	16	3	1	3	100

* Less than 0.5 percent.

Table 21. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Delta-pine 16	Delta-pine Sm. Lf.	Lank-art 57	Lank-art 611	Lank-art 3840	North-ern Star 5	North-ern Star 411	Pay-master 202	Rex Sm. Lf. 66	Stone-ville 7A	Stone-ville 213	TPSA 110	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>																
Calhoun	5	4,539	64	-	-	-	-	-	-	-	-	13	22	-	1	100
Jackson	5	3,415	45	2	1	-	1	-	-	-	-	36	7	4	4	100
Jim Wells	3	2,393	1	-	*	68	6	-	-	-	-	-	1	10	14	100
Matagorda	6	3,507	52	28	-	-	-	-	-	-	1	9	7	-	3	100
Nueces	21	24,179	*	-	-	23	6	5	1	2	-	33	26	*	4	100
Refugio	4	6,337	-	-	-	1	64	-	-	-	-	6	29	-	-	100
San Patricio	12	16,951	-	-	13	37	7	-	1	-	-	28	14	-	*	100
Victoria	6	3,680	12	-	11	-	14	-	-	-	*	18	39	3	3	100
Wharton	19	47,844	36	-	-	-	-	-	-	-	7	41	14	1	1	100
All other	6	7,706	-	-	17	14	30	5	-	-	-	7	12	*	15	100
Classing Office Total	87	120,551	20	1	3	12	8	1	*	*	3	30	17	1	4	100

* Less than 0.5 percent.

Table 22. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Auburn M	Coker 4104	Delta-pine 16	Hybee 200	Lank-art 3840	Lock-ett 4789	Lock-ett 4789A	Stone-ville 7A	Stone-ville 213	TPSA 109	TPSA 110	---	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>																
Cameron	28	73,586	*	-	6	-	-	-	*	60	22	*	12	-	*	100
Hidalgo	24	74,077	-	*	1	*	*	-	-	41	28	-	30	-	-	100
Willacy	10	37,389	*	-	1	-	-	1	1	59	33	-	5	-	-	100
All other	1	2,310	-	-	-	-	-	-	-	-	100	-	-	-	-	100
Classing Office Total	63	187,362	*	*	3	*	*	*	*	52	27	*	18	-	*	100

* Less than 0.5 percent.

Table 23. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Blight master A-5	Lank art 57	Lank art 611	Lank art 3840	Lank art LX 571	Lock ett 4789	Lock ett 4789A	North ern Star 5	Pay master 111A	Pay master 202	West burn	Western Storm proof	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Coleman	3	5,156	-	90	-	-	-	3	-	2	-	-	-	5	-	100
Dickens 1/	5	11,703	-	61	16	-	-	-	-	-	-	7	-	1	15	100
Fisher	8	37,110	-	21	-	-	-	-	1	11	-	2	38	24	3	100
Haskell	12	53,084	-	-	3	6	84	-	-	-	-	-	-	-	7	100
Howard 2/	8	30,214	6	-	-	-	-	4	-	17	-	-	1	70	2	100
Jones	15	58,643	-	51	31	-	15	-	-	-	-	-	-	-	3	100
Knox	8	14,575	-	56	-	-	9	4	-	-	12	-	-	-	19	100
Martin 2/	7	41,969	2	-	-	-	-	36	-	4	-	-	-	50	8	100
Mitchell	7	25,700	-	-	21	-	-	-	-	8	-	-	-	66	5	100
Nolan	6	21,326	-	10	10	-	-	-	-	12	-	12	-	55	1	100
Runnels	11	39,289	-	41	26	-	19	-	7	-	-	-	-	6	1	100
Scurry 1/	7	28,817	-	-	8	-	-	-	14	16	-	15	-	47	-	100
Taylor	5	9,672	-	61	26	-	-	3	-	-	-	-	-	-	10	100
Tom Green	7	29,691	-	83	13	-	1	1	-	-	-	-	-	-	2	100
All other	16	38,799	-	47	28	-	2	5	-	-	-	1	*	15	2	100
Classing Office Total	125	445,748	1	28	13	1	14	4	2	5	*	2	3	22	5	100

1/ A portion of this county is served by Lubbock Classing Office and is included in the data for "all other".

2/ A portion of this county is served by Lubbock Classing Office.

* Less than 0.5 percent.

Table 24. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Blight-master A-5	Coker 4104	Dunn 56C	Gregg 35	Lank-art 57	Lank-art 611	Lock-ett 4789A	Pay-master 101A	Pay-master 111	Pay-master 202	Rilcot 90	Strip-per 31	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Bailey	18	54,746	-	-	14	8	1	-	6	-	2	10	25	27	7	100
Castro	15	37,704	-	-	-	8	-	-	-	6	-	45	11	22	8	100
Cochran	12	38,765	-	-	15	19	2	-	-	-	11	-	43	6	4	100
Crosby	19	117,408	-	4	3	-	21	-	-	1	10	-	-	22	39	100
Dawson	25	158,232	26	1	12	-	3	-	16	-	12	-	-	1	29	100
Floyd	21	77,748	-	-	4	5	5	2	-	1	14	5	-	40	24	100
Gaines	19	74,950	-	1	2	10	5	-	7	-	22	1	15	25	12	100
Garza	6	17,640	5	-	-	-	6	4	8	-	34	17	-	-	26	100
Hale	33	140,178	-	3	1	2	4	1	1	14	25	5	1	24	19	100
Hockley	33	153,447	-	1	2	6	9	3	1	-	27	*	16	16	19	100
Howard 1/	3	9,692	10	-	-	-	-	-	-	-	-	-	-	-	90	100
Lamb	31	119,966	-	-	7	9	1	*	-	18	3	9	20	16	17	100
Lubbock	40	215,485	-	18	2	*	15	-	-	2	21	6	-	19	17	100
Lynn	24	152,886	4	2	-	-	11	15	17	-	22	12	-	-	17	100
Martin 1/	4	19,687	-	-	-	-	-	-	84	-	-	-	-	-	16	100
Parmer	15	38,484	-	-	-	32	-	-	-	9	18	4	30	-	7	100
Swisher	13	30,693	-	-	-	-	5	-	-	1	4	5	-	80	5	100
Terry	21	103,514	-	*	6	10	24	11	2	-	20	6	-	6	15	100
Yoakum	9	35,032	-	-	-	17	8	-	-	-	32	10	4	-	29	100
All other	5	16,466	-	-	20	2	12	-	18	-	5	18	2	3	20	100
Total	366	1,612,723	3	3	4	5	9	3	6	3	17	6	7	16	18	100
New Mexico:																
Total 2/	5	5,383	-	-	-	25	-	-	-	-	11	9	48	-	7	100
Classing Office Total	371	1,618,106	3	3	4	5	9	3	6	3	17	6	7	16	18	100

1/ A portion of this county is served by Abilene Classing Office.

2/ Includes Roosevelt and Quay counties.

* Less than 0.5 percent.

Table 25. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517-70	Acala 3080	Coker 4104	Del Cerro	Delta-pine 16	Hopicala	Stoneville 213	Stroman 104	Stroman 254	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>																
El Paso	10	32,605	53	10	23	5	1	-	-	3	3	2	-	-	-	100
All other	6	9,388	28	-	5	-	-	18	8	19	8	8	-	-	6	100
Total	16	41,993	47	7	19	4	1	4	2	6	4	4	-	-	2	100
<u>New Mexico:</u>																
Dona Ana	10	33,904	6	4	49	16	1	1	*	1	8	*	3	10	1	100
Luna	4	16,341	10	4	34	18	1	1	-	-	4	18	-	7	3	100
All other	4	7,195	15	10	34	21	2	-	-	2	-	5	-	3	8	100
Total	18	57,440	8	5	43	18	1	1	*	1	6	6	2	8	1	100
<u>Arizona:</u>																
Cochise	5	16,480	5	7	1	56	-	4	-	8	-	13	-	5	1	100
All other	3	12,132	11	22	3	3	-	-	-	53	1	4	-	-	3	100
Total	8	28,612	7	14	2	34	-	2	-	27	*	9	-	3	2	100
Classing Office Total	42	128,045	21	8	26	17	1	2	1	8	4	6	1	4	1	100

* Less than 0.5 percent.

Table 26. Carlsbad Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Acala 1517-BR2	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517-70	Coker 4104	Delta-pine 16	Delta-pine Sm. Lf.	Lockett 4789A	Stoneville 7A	Stoneville 213	Western Storm-proof	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Chaves	7	20,828	4	4	2	21	51	5	*	*	-	-	4	-	9	100
Eddy	8	24,956	8	14	10	28	20	2	3	5	-	-	1	-	9	100
Lea	7	13,711	17	-	-	-	10	1	1	-	2	-	-	1	68	100
Total	22	59,495	8	7	5	19	29	3	2	2	*	-	2	*	23	100
New Mexico:																
Glasscock	3	14,787	2	-	-	-	-	-	-	-	46	6	-	13	33	100
Pecos	5	9,048	-	20	-	-	-	8	29	-	-	27	16	-	-	100
Reeves	10	46,545	-	6	-	*	-	*	18	8	1	4	62	-	1	100
All other	1	2,768	-	-	-	-	-	10	-	-	1	-	5	55	29	100
Total	19	73,148	*	6	-	*	-	1	15	5	10	7	42	5	9	100
Texas:																
Classing Office Total	41	132,643	4	7	2	9	13	2	9	4	6	4	24	3	13	100

* Less than 0.5 percent.

Table 27. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Acala 1517C	Del Cerro	Delta-pine 16	Delta-pine 45	Delta-pine Sm. Lf.	Hopicala	Stoneville 7A	Stoneville 213	Pct.	Pct.	Pct.	Pct.	Pct.	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Maricopa	40	172,651	-	4	93	-	-	-	-	3	-	-	-	-	-	100
Pima	8	21,922	8	-	69	2	-	1	15	5	-	-	-	-	-	100
Pinal	38	177,553	-	-	79	-	7	-	-	14	-	-	-	-	-	100
Yuma 1/	4	16,178	-	-	73	-	17	-	-	10	-	-	-	-	-	100
Classing Office Total	90	388,304	1	2	84	*	4	*	1	8	-	-	-	-	-	100

1/ A portion of this county is served by El Centro Classing Office.

* Less than 0.5 percent.

Table 28. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Acala 4-42	Acala SJ-1	---	---	---	---	---	---	Pct.	Pct.	Pct.	Pct.	Pct.	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Fresno	70	299,413	13	87	-	-	-	-	-	-	-	-	-	-	-	100
Kings 1/	8	42,722	8	92	-	-	-	-	-	-	-	-	-	-	-	100
Madera	13	47,505	3	97	-	-	-	-	-	-	-	-	-	-	-	100
Merced	10	48,608	23	77	-	-	-	-	-	-	-	-	-	-	-	100
Tulare 1/	7	34,445	29	71	-	-	-	-	-	-	-	-	-	-	-	100
Classing Office Total	108	472,693	14	86	-	-	-	-	-	-	-	-	-	-	-	100

1/ A portion of this county is served by Bakersfield Classing Office.

Table 29. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Acala 4-42	Acala SJ-1	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>California:</u>														
Kern	54	357,499	9	91	-	-	-	-	-	-	-	-	-	100
Kings 1/	14	124,238	1	99	-	-	-	-	-	-	-	-	-	100
Tulare 1/	27	140,840	13	87	-	-	-	-	-	-	-	-	-	100
Classing Office Total	95	622,577	8	92	-	-	-	-	-	-	-	-	-	100

1/ A portion of this county is served by Fresno Classing Office.

Table 30. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1971

State and County	Gins	1970 Ginnings	Acala 4-42	Delta-pine 16	Delta-pine Sm. lf.	Stone-ville 213	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>California:</u>															
Imperial	12	53,933	*	68	14	18	-	-	-	-	-	-	-	-	100
Riverside	5	26,788	-	96	-	4	-	-	-	-	-	-	-	-	100
Total	17	80,721	*	77	10	13	-	-	-	-	-	-	-	-	100
<u>Arizona:</u>															
Yuma 1/	9	45,038	-	76	21	3	-	-	-	-	-	-	-	*	100
Total	9	45,038	-	76	21	3	-	-	-	-	-	-	-	*	100
Classing Office Total	26	125,759	*	77	13	10	-	-	-	-	-	-	-	*	100

1/ A portion of this county is served by Phoenix Classing Office.

* Less than 0.5 percent.

Table 31. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, 1967-1971

State and Year	A P ginnings	Pima S-1	Pima S-2	Pima S-3	Pima S-4	Pima Stroman Select	Other	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
Arizona								
1967	34,416	1	53	9	37	-	-	100
1968	44,267	-	18	9	73	-	-	100
1969	35,892	-	5	9	86	-	-	100
1970	27,965	-	11	4	85	-	-	100
1971	-	-	18 17	6	75 77	-	-	100
California								
1967	402	-	80	-	20	-	-	100
1968	785	-	-	-	100	-	-	100
1969	1,695	-	-	-	100	-	-	100
1970	-	-	-	-	-	-	-	-
1971	-	-	-	-	-	-	-	-
New Mexico								
1967	6,521	19	46	20	-	15	-	100
1968	6,703	11	41	37	4	6	1	100
1969	6,456	1	41	42	14	2	-	100
1970	6,348	-	13	46	33	8	-	100
1971	-	1	18	18	63	-	-	100
Texas								
1967	26,983	14	63	23	-	-	-	100
1968	26,427	6	62	23	8	-	1	100
1969	32,795	2	45	29	24	-	-	100
1970	22,825	*	9	8	83	-	-	100
1971	-	*	9	13	78	-	-	100
United States								
1967	68,322	8	56	15	19	2	*	100
1968	78,182	3	38	17	41	1	*	100
1969	76,838	1	22	19	58	*	-	100
1970	57,138	*	10	9	80	1	-	100
1971	-	*	15 14	10	75 76	-	-	100

* Less than 0.5 percent.

Table 32. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing office territories, crop of 1971

Classing office territory and County	Gins	1970 A P ginnings	Pima S-1	Pima S-2	Pima S-3	Pima S-4	---	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>El Paso territory</u>								
<u>Arizona:</u>								
Graham	2	8,594	-	10	19	71	-	100
<u>New Mexico:</u>								
Dona Ana	4	4,444	1	21	24	54	-	100
Luna	1	1,904	-	11	4	85	-	100
Total	5	6,348	1	18	18	63	-	100
<u>Texas:</u>								
El Paso	8	15,050	*	4	15	81	-	100
Hudspeth	2	468	-	3	7	90	-	100
Total	10	15,518	*	4	14	82	-	100
Classing Office Total	17	30,460	*	9	16	75	-	100
<u>Carlsbad territory</u>								
<u>Texas:</u>								
Reeves	2	7,307	-	20	10	70	-	100
Total	2	7,307	-	20	10	70	-	100
<u>Phoenix territory</u>								
<u>Arizona:</u>								
Maricopa	7	7,736	-	8	-	92	-	100
Pima	3	2,295	-	69	-	31	-	100
Pinal	5	4,071	-	52 39	-	48 61	-	100
Yuma	1	5,269	-	-	-	100	-	100
Total	16	19,371	-	22 20	-	78 80	-	100

* Less than 0.5 percent.



1022919551

